


**WPC**  
LUXURY DOOR



- **WPC DOOR**
- **WPC DOOR SKIN**
- **WPC DOOR FRAME**



## Rapid delivery



From product design to mold shaping and production integration, strict control of yield rate to independent inspection, achieving rapid delivery

## Mold library system



Innovative mold design, with a wide selection of mold libraries to meet over 95% of basic styles, enabling rapid modeling and mold making processes

## Stable large-scale production



The mature process system seamlessly integrates with the mold, achieving standardization of the entire production process from the mold end


## Focus and Achievement



Focused on excellence: 20000 square meters independent foreign trade warehouse, fully wood plastic baking paint automatic line, overseas warehousing and office plans, modern and intensive advantages

### Strong stability

Easy to process  
Long lifespan




### Biggest advantage

Waterproof,  
moisture-proof,  
insect proof

### Formaldehyde free grade

Environmental protection reaches a higher level



WPC base material

## Excellence in Material Application

Wood plastic products have unique advantages in quality, mainly reflected in their unique material characteristics: waterproof, moisture-proof, insect proof, easy to process and repair, good dimensional stability, environmentally friendly, formaldehyde free, and excellent weather resistance. They can adapt to complex environments, have low requirements for transportation and storage environments, and are suitable for global production, sales, and application.




# WPC

LUXURY DOOR

# WPC LUXURY DOOR

# WPC SKIN DOOR



**Waterproof**  
-Waterproof  
-Moistureproof



**Anti -Termites**  
-Anti-Worm  
-Anti Termite



**Environmentally Friendly**  
-eco-friendly Material  
-formaldehyde Levels:E1  
-recycled Material



**Customized**  
-Color and design  
-Hinge hole  
-Lock hole  
-Carton box



**Easy Installation**  
-4 screws connection  
-Saving labor time  
-Saving cost




**Fast Delivery**  
-Faster than competitor



**Better life**  
-The Noise Reduction



# WPC LUXURY DOORS



M-13

## WPC DOOR FOUR Advantages

**Anti insect and anti termite**

**Waterproof material**

**Strong expansion ability**

**More environmentally friendly and durable**

# WPC SKIN DOOR



M-80



M-12



- 
**Waterproof**  
 -Waterproof  
 -Moistureproof
- 
**Anti -Termites**  
 -Anti-Worm  
 -Anti Termite
- 
**Environmentally Friendly**  
 -eco-friendly Material  
 -formaldehyde Levels:E1  
 -recycled Material
- 
**Customized**  
 -Color and design  
 -Hinge hole  
 -Lock hole  
 -Carton box
- 
**Easy Installation**  
 -4 screws connection  
 -Saving labor time  
 -Saving cost
- 
**Fast Delivery**  
 -Faster than competitor
- 
**Better life**  
 -The Noise Reduction


Waterproof and moisture-proof performance: WPC materials have natural hydrophobicity, which not only makes them particularly friendly to humid environments, but also has good performance in terms of water loss rate in dry environments;

# WPC LUXURY DOORS

# WPC SKIN DOOR



M-44



M-14

## WPC DOOR FOUR Advantages

**Anti insect and anti termite**

Waterproof material

**Strong expansion ability**

More environmentally friendly and durable

High level environmental protection/strong weather resistance: WPC wood plastic doors are made from resin, wood fibers, polymer materials, etc. through high-temperature and high-pressure extrusion molding processes. Due to the absence of harmful substances such as formaldehyde in the raw materials, the environmental performance is higher; In experiments with extreme heat of 50 °C and extreme cold of -15 °C, the material consistently maintains its unique stability and resistance to deformation;

# WPC LUXURY DOORS




M-15

# WPC SKIN DOOR




M-29



M-32



M-102



## WPC DOOR FOUR Advantages

**Anti insect and anti termite**

**Waterproof material**

**Strong expansion ability**

**More environmentally friendly and durable**

Anti insect and anti termite: WPC material itself does not contain protein substances, so it will not reproduce insects and termites due to material denaturation during use. WPC material cannot provide a living environment for termites and termites, so its anti impact and anti termite performance is outstanding;

# WPC LUXURY DOORS



**Waterproof**  
-Waterproof  
-Moistureproof



**Anti -Termites**  
-Anti-Worm  
-Anti Termite



**Environmentally Friendly**  
-eco-friendly Material  
-formaldehyde Levels:E1  
-recycled Material



**Customized**  
-Color and design  
-Hinge hole  
-Lock hole  
-Carton box



**Easy Installation**  
-4 screws connection  
-Saving labor time  
-Saving cost



**Fast Delivery**  
-Faster than competitor



**Better life**  
-The Noise Reduction



M-109

## WPC SKIN DOOR



M-001



M-60



M-110



M-111



M-113



M-75



M-49



NM-617



M-106



M-94



M-66



M-37

# WPC LUXURY DOORS




M-105



M-103



M-114



Waterproof and moisture-proof performance: WPC materials have natural hydrophobicity, which not only makes them particularly friendly to humid environments, but also has good performance in terms of water loss rate in dry environments;

# WPC SKIN DOOR



M-95



M-104



M-78



19052X



M-36



M-118

## WPC DOOR FOUR Advantages

**Anti insect and anti termite**

Waterproof material

**Strong expansion ability**

More environmentally friendly and durable

# WPC LUXURY DOORS



M-45



M-101

High level environmental protection/strong weather resistance: WPC wood plastic doors are made from resin, wood fibers, polymer materials, etc. through high-temperature and high-pressure extrusion molding processes. Due to the absence of harmful substances such as formaldehyde in the raw materials, the environmental performance is higher; In experiments with extreme heat of 50 °C and extreme cold of -15 °C, the material consistently maintains its unique stability and resistance to deformation;

# WPC SKIN DOOR



M-115



NM-831



NM-701



NM-713



NM-2101



NM-825



DS-001



NM-605



NM-619

WPC LUXURY DOORS



NM-612



NM-628



M-97



NM-626B



NM-716



NM-702



NM-718



M-33



M-38



M-77



Anti insect and anti termite: WPC material itself does not contain protein substances, so it will not reproduce insects and termites due to material denaturation during use. WPC material cannot provide a living environment for termites and termites, so its anti impact and anti termite performance is outstanding;



ML-001

## WPC SKIN DOOR -Nano-agent coating series



ML-002



ML-003



**Waterproof**  
-Waterproof  
-Moistureproof



**Anti-Termite**  
-Anti-Worm  
-Anti Termite



**Environmentally Friendly**  
-eco-friendly Material  
-formaldehyde Levels:E1  
-recycled Material



**Customized**  
-Color and design  
-Hinge hole  
-Lock hole  
-Carton box




**Easy Installation**  
-4 screws connection  
-Saving labor time  
-Saving cost



**Fast Delivery**  
-Faster than competitor



**Better life**  
-The Noise Reduction



Yituo Exhibition Materials: WPC products rely heavily on production processes and molds, and are less limited by the physical properties of the materials themselves. During the initial processing and later reprocessing or assembly processes, the advantages and stability of the materials are very obvious.


## WPC LUXURY DOOR



**GREEN,  
HEALTHY,**

ENVIRONMENTAL PROTECTION  
AND REST ASSURED

## WPC SKIN DOOR -Nano-agent coating series



ML-005



ML-006



ML-007



ML-008




ML-009



ML-010



ML-011




ML-012

Waterproof and moisture-proof performance: WPC materials have natural hydrophobicity, which not only makes them particularly friendly to humid environments, but also has good performance in terms of water loss rate in dry environments;




**MX-002**  
(YX03/YX05/YX07)



**MX-003L**  
(YX03/YX05/YX07)

**MX-004L**  
(YX03/YX05/YX07)

**MX-005L**  
(YX03/YX05/YX07)



**WPC SKIN DOOR**  
-Decoration line Door



**MX-002B**  
(YX03/YX05/YX07)



**MX-001**  
(YX03/YX05/YX07)



High level environmental protection/strong weather resistance: WPC wood plastic doors are made from resin, wood fibers, polymer materials, etc. through high-temperature and high-pressure extrusion molding processes. Due to the absence of harmful substances such as formaldehyde in the raw materials, the environmental performance is higher; In experiments with extreme heat of 50 °C and extreme cold of -15 °C, the material consistently maintains its unique stability and resistance to deformation;

# WPC LUXURY DOOR



**MX-002**  
(YX03/YX05/YX07)


# WPC SKIN DOOR

GLASS OPTIONAL:



**MX-002B**  
(YX03/YX05/YX07)

**M-003B**



## WPC DOOR FOUR Advantages

**Anti insect and anti termite**

**Waterproof material**


**Strong expansion ability**

**More environmentally friendly and durable**

# WPC DOOR PANEL TYPE


## 40MM WPC DOOR

Door panel Size




## 45MM WPC DOOR

Door panel Size




## 35MM WPC DOOR

Available door leaf width  
1000/920/900 (±4mm) /800/700mm




## 40MM WPC DOOR

Available door leaf width  
1100/1000/930/830/730/710mm





## 45MM WPC DOOR

Available door leaf width  
1100/1000/910/860/810/760/710/610mm



## 35MM WPC DOOR



# 100% WPC DOOR

- 1.Raw Material
- 2.Pvc Film lamination
- 3.Painting


 100% WATERPROOF

# WPC DOOR


## Structure Drawing

# FULL WPC DOOR-PAINTING

WPC Door PVC Film Laminated



WPC Door Painting Tech



### Waterproof

- Waterproof
- Moistureproof

### Anti-Termites

- Anti-Worm
- Anti Termite

### Fast Delivery

### Sound proof

### Environmentally Friendly


- Eco-friendly Material
- Formaldehyde Levels:e1
- Recycled Material

### Customized

- Color and design
- Hinge hole
- Lock hole
- ODM&DEM

### Easy Installation

- 4 screws connection
- Saving labor time



# WPC LUXURY DOOR



# FULLWPC DOOR



CS-002

CS-003

CS-004



 100%  
WATERPROOF

## WPC DOOR FOUR Advantages

**Anti insect and anti termite**

**Waterproof material**

**Strong expansion ability**

**More environmentally friendly and durable**

Waterproof and moisture-proof performance: WPC materials have natural hydrophobicity, which not only makes them particularly friendly to humid environments, but also has good performance in terms of water loss rate in dry environments;



## FULLWPC DOOR



CS-006



CS-007



CS-008



CS-009



CS-010



CS-011



CS-012



CS-013

Waterproof and moisture-proof performance: WPC materials have natural hydrophobicity, which not only makes them particularly friendly to humid environments, but also has good performance in terms of water loss rate in dry environments;



### WPC DOOR FOUR Advantages

**Anti insect and anti termite**

**Waterproof material**

**Strong expansion ability**

**More environmentally friendly and durable**

### FULLWPC DOOR



CS-015

CS-016

CS-017

CS-018



CS-019

CS-020

CS-021

CS-022

High level environmental protection/strong weather resistance: WPC wood plastic doors are made from resin, wood fibers, polymer materials, etc. through high-temperature and high-pressure extrusion molding processes. Due to the absence of harmful substances such as formaldehyde in the raw materials, the environmental performance is higher; In experiments with extreme heat of 50 °C and extreme cold of -15 °C, the material consistently maintains its unique stability and resistance to deformation;



**CL-001**

WPC Skirting

**FULLWPC DOOR**  
-Nano-agent coating series



**CL-002**



**CL-003**



**CL-004**



**CL-005**



**CL-006**



**CL-007**

Anti insect and anti termite: WPC material itself does not contain protein substances, so it will not reproduce insects and termites due to material denaturation during use. WPC material cannot provide a living environment for termites and termites, so its anti impact and anti termite performance is outstanding;

**FULLWPC DOOR (5D Printing)**



CD-001

CD-010

**WPC DOOR FOUR Advantages**

**Anti insect and anti termite**

**Waterproof material**

**Strong expansion ability**

**More environmentally friendly and durable**



CD-002

CD-003

CD-004

CD-005



CD-006

CD-007

CD-008

CD-009

5D  
Printing



Yituo Exhibition Materials: WPC products rely heavily on production processes and molds, and are less limited by the physical properties of the materials themselves. During the initial processing and later reprocessing or assembly processes, the advantages and stability of the materials are very obvious.

# FULLWPC DOOR (PET Series)



CTL-001



CTL-002



CTL-003




CTL-004



CTL-005



CTL-006



Waterproof and moisture-proof performance: WPC materials have natural hydrophobicity, which not only makes them particularly friendly to humid environments, but also has good performance in terms of water loss rate in dry environments;

# WPC LUXURY DOOR



CK-001



## WPC DOOR FOUR Advantages

**Anti insect and anti termite**

Waterproof material

Strong expansion ability

**More environmentally friendly and durable**

# FULLWPC DOOR -PAINT DOOR




CK-002



CK-003



CK-004



CK-005



CK-006



CK-007



CK-008



CK-009

High level environmental protection/strong weather resistance: WPC wood plastic doors are made from resin, wood fibers, polymer materials, etc. through high-temperature and high-pressure extrusion molding processes. Due to the absence of harmful substances such as formaldehyde in the raw materials, the environmental performance is higher; In experiments with extreme heat of 50 °C and extreme cold of -15 °C, the material consistently maintains its unique stability and resistance to deformation;

## WPC LUXURY DOOR

# WPC Assembly Door

**+4.17** Times

Environmental protection ENF

**+62.5** %

Deformation resistance

**+19** %

Durability bending elasticity


- Formaldehyde emission ENF grade  $\leq 0.025\text{mg}/\text{m}^3$ , measured  $0.006\text{mg}/\text{m}^3$ , 4.17 times better than ENF grade environmental protection
- Water content national standard  $\leq 2.0\%$ , measured  $0.7\%$ , better than national standard 65%
- Water absorption expansion rate national standard  $\leq 0.5\%$ , measured  $0.2\%$ , better than national standard 60%
- Flexural elastic modulus national standard  $\geq 1800\text{MPa}$ , measured  $1998\text{MPa}$ , better than national standard 11%;
- Shore hardness  $\geq 60\text{HD}$ , measured  $76\text{HD}$ , better than national standard 27%

# WPC ASSEMBLE DOOR

## Sectional Drawing

Assembly method more ↓

### BUILDING BLOCKS SERIES 2.0



## WPC LUXURY DOOR



PZ-002

## WPC ASSEMBLY DOOR



PB-001



PL-001



P-001X1



**Multiple mold specifications**

Provide more mold specifications making sizes more optional free and accurate making sales simpler



PZ-007



PZ-001

CX One piece



PZ-001

Cx250 Horizontal Assembly



**Freeform**  
styling

The material science design like LEGO blocks allows the facade to have almost infinite combinations and diverse styles



PL-002

## WPC LUXURY DOOR



## WPC ASSEMBLY DOOR



PL-003



PZ-004



PT-001



PZ-001

CX400 Horizontal Assembly



PZ-006



PZ-005



PB-002



PB-003

Providing a market tested membrane color system the best-selling ability of membrane color is a technology for Yingkang



PZ-013



WPC ASSEMBLY DOOR

PB-004



Assembly method 1




Assembly method 2



PZ-001  
(primary-secondary door)



PT-002  
(primary-secondary door)





**Waterproof**

- Waterproof
- Moistureproof



**Anti-Termite**

- Anti-Worm
- Anti Termite



**Environmentally Friendly**

- eco-friendly Material
- formaldehyde Levels:E1
- recycled Material



**Customized**

- Color and design
- Hinge hole
- Lock hole
- Carton box



**Easy Installation**

- 4 screws connection
- Saving labor time
- Saving cost



**Fast Delivery**

- Faster than competitor



**Better life**



- The Noise Reduction



**GREEN,**

**HEALTHY,**

ENVIRONMENTAL PROTECTION  
AND REST ASSURED





Invisible Door

Aluminum Glass Door

Aluminum glass door, product advantages:

1. Light transmittance of 85%;
2. To ensure the advantages of aluminum glass products at the same time, to achieve the same color of the whole house;
3. A variety of glass combinations, more choices.



narrow aluminum alloy profile



wpc door frame



Perfect design



Level 4 water proofness



Aluminum alloy material



Narrow style





3C certificate





A TYPE

Door Frame




# E TYPE


## E40-1




## E45-1      E45-2



## E45-2      E45-15




## E50-1





# Y TYPE

## Y40-0      Y45-0




# B TYPE


## B40-1










## B45-1









## B45-1      B42/B44-1      B60-11-100/210











# D TYPE



D35-1	D35-3		D40-3	D45-3
100	90	100	90	90
				
				

## Assembly Type












Assembly Frame			
85A50	90A40	90A45	210A-0(>135mm)
			
			
270A-0(≤135mm)	Install way	P42-2-200	
			
			

## JYX-PZJ


UK-01(42*120MM)	UK-02(44*120MM)	BK(132MM边框)	UK04-1
			
			
P60K	CX(35*250MM)	CX(35*400MM)	ZD(80mm middle line)
			
			

PX(PU foam core)	CX(35*700MM)	CX(35*800MM)
		
		
CX(35*900MM)	CX(35*920MM)	CX(35*1000MM)
		
		


## Decoration Lines

YX01	YX02	YX03	YX03
			
			
YX04	YX05	YX06	YX07
			
			
C03 Door stop	K40/K45 Door buckle	K40/K45 Door buckle	B01
			
			
B02	B03-35	B03-40	B03-45
			
			

# JYX-XMS



# JYX-XMS



# MANIGLIE E ACCESSORI HANDLES AND ACCESSORIES

Material: SUS201, SUS304 STAINLESS STEEL  
Finish: SSS, PSS, PVD  
Hollow Handle

	©156-R01		©S02-KEY HOLE★
	©56-R01		©5S02-WC★
	©54001		©SQ02-CY
	©54001BLACK		©SQ02-KEY HOLE
	©54002		©SQ02-WC
	©54002BLACK		©R01-CY
	©54003		©R01-KEY HOLE
	©54004		©R01-WC
	©S52111★		©R08-CY
	©56		©R08-KEY HOLE
	©156		©R08-WC
	©S02-CY★		©R42-CY
	©R42-KEY HOLE		A: Sn B: Black C: Gold
	©R42-WC		SIZE: 52MM specification: zinc alloy rosette plastic part package: 10 sets/cartom G.W/N.W: 11/10 KGS/CTN MEAS: 34*25*32.5CM

	©R01-WC-LIGHT		156-WPC HANDLE
	©R42-WC-LIGHT		Security Door Handle
	©R08-WC-LIGHT		56-WPC HANDLE




	©8550-CY MIDDLE LATCH									
	©9050-WC MIDDLE LATCH									
	©9050-KEY HOLE MIDDLE LATCH									
<table border="1"> <tr> <td>Item No.</td> <td>8550-CY/9050-WC/9050-KEY</td> </tr> <tr> <td>Size</td> <td>8550/9050/9050</td> </tr> <tr> <td>Specification</td> <td>stainless steel/iron ferend, plastic latch with magnetic ,cover with zinc finish</td> </tr> <tr> <td>Package</td> <td>50 sets/carton; G.W/N.W: 23KG/CTN MEAS: 52*21*25CM</td> </tr> </table>			Item No.	8550-CY/9050-WC/9050-KEY	Size	8550/9050/9050	Specification	stainless steel/iron ferend, plastic latch with magnetic ,cover with zinc finish	Package	50 sets/carton; G.W/N.W: 23KG/CTN MEAS: 52*21*25CM
Item No.	8550-CY/9050-WC/9050-KEY									
Size	8550/9050/9050									
Specification	stainless steel/iron ferend, plastic latch with magnetic ,cover with zinc finish									
Package	50 sets/carton; G.W/N.W: 23KG/CTN MEAS: 52*21*25CM									


	©FLUSH HINGE 4X3X2.5mm	<table border="1"> <tr> <td>Size</td> <td>4*3*2.5</td> </tr> <tr> <td>Specification</td> <td>stainless steel</td> </tr> <tr> <td>Package</td> <td>50 sets/carton; G.W/N.W: 15.5 /15 KGS /CTN MEAS: 28*25*16.8CM</td> </tr> </table>	Size	4*3*2.5	Specification	stainless steel	Package	50 sets/carton; G.W/N.W: 15.5 /15 KGS /CTN MEAS: 28*25*16.8CM
Size	4*3*2.5							
Specification	stainless steel							
Package	50 sets/carton; G.W/N.W: 15.5 /15 KGS /CTN MEAS: 28*25*16.8CM							

	©4x3x2.5mm	<table border="1"> <tr> <td>Size</td> <td>4*3*2.5</td> </tr> <tr> <td>Specification</td> <td>Iron</td> </tr> <tr> <td>Package</td> <td>50 sets/carton; G.W/N.W: 18.5/17.5 KGS /CTN MEAS: 31*20*16CM</td> </tr> </table>	Size	4*3*2.5	Specification	Iron	Package	50 sets/carton; G.W/N.W: 18.5/17.5 KGS /CTN MEAS: 31*20*16CM
Size	4*3*2.5							
Specification	Iron							
Package	50 sets/carton; G.W/N.W: 18.5/17.5 KGS /CTN MEAS: 31*20*16CM							


	©100X93X2mm	<table border="1"> <tr> <td>Size</td> <td>100*93*2 mm</td> </tr> <tr> <td>Specification</td> <td>Iron / stainless steel</td> </tr> <tr> <td>Package</td> <td>50 sets/carton; G.W/N.W: 18.5/17.5 KGS /CTN MEAS: 33*20*16CM</td> </tr> </table>	Size	100*93*2 mm	Specification	Iron / stainless steel	Package	50 sets/carton; G.W/N.W: 18.5/17.5 KGS /CTN MEAS: 33*20*16CM
Size	100*93*2 mm							
Specification	Iron / stainless steel							
Package	50 sets/carton; G.W/N.W: 18.5/17.5 KGS /CTN MEAS: 33*20*16CM							



◎8550-CY UPPER LATCH




◎9050-WC UPPER LATCH




◎9050-KEY HOLE UPPER LATCH

Item No.	8550-CY/9050-WC/9050-KEY	
Size	8550/9050/9050	
Specification	Magnetic lock body-top part	
Package	60 sets/carton : G.W/N.W: 15.3/14.8 KGS /CTN	MEAS:46.5*24.5*17CM




◎8550-CY EURO PVC



◎9650-WC EURO PVC




◎2 strike Available




◎9050-KEY HOLE EURO PVC


Size	8550/9650/9050	
Specification	Iron lock body with plastic latch	
Package	60 sets/carton : G.W/N.W: 15.3/14.8 KGS /CTN	MEAS:46.5*24.5*17CM



◎9045-KEY HOLE




◎9045-WC




◎9045-CY


Item No.	9045 lock body	
Size	9045	
Specification	without magnetic : Iron plate ,iron latch& bolt	
Package	30 sets/carton : G.W/N.W: 15.5/14.5 KGS /CTN	MEAS:51*26*14.3CM(大件包装)



◎9045-KEY HOLE MAGNET



◎9045-WC MAGNET



◎9045-CY MAGNET

Item No.	9045 lock body	
Size	9045	
Specification	Iron plate ,iron latch& bolt with magnetic :	
Package	30 sets/carton : G.W/N.W: 15.5/14.5 KGS /CTN	MEAS:51*26*14.3CM(大件包装)



◎Color:SN



◎Color:Black

◎70mm(35-35)SINGLE OPEN CYLINDER NORMAL KEY



◎Color:SN



◎Color:Black

◎70mm(35-35)SINGLE OPEN CYLINDER COMPUTER KEY




◎Color:SN

◎70mm(35-35)DOUBLE OPEN CYLINDER




◎Color:SN




◎70mm(35-35) BATHROOM CYLINDER



3



The core of future differentiated design is the key to achieving construction and design implementation of the closure system. Our same color system meets your almost perfect design plan and shines brightly



Line type 线型名称	Model code 型号代码	homochromy 同色	Naked color 裸色	grey 灰色	Matte black 哑黑	Matte coffee 哑咖啡
Boundless light strip line 无界灯带线	P-101无界灯带线		☉			
Dense stitching 密拼线	P-102密拼线		☉			
	P-102A密拼线/阴阳角用		☉			
Micro suture 微缝线	P-103微缝线			☉	☉	☉
	T-103微缝线		☉			
mini I-shaped 微型工字	P-104微型工字			☉	☉	☉
	T-104微型工字		☉			
Unilateral line 单边线	P-105单边线			☉	☉	☉
	T-105单边线		☉			
I-shaped 工字线	P-106工字线			☉	☉	☉
	T-106工字线		☉			
concave line 阴角线	P-107阴角线		☉			
Leave stitching 留缝线	T-108留缝线		☉			
skirting line 踢脚线	P-109踢脚线			☉	☉	☉
Staggered light strip 错层灯带	P-110错层灯带			☉	☉	☉
Right angled corner 直角阳角	T-111直角阳角		☉			
All aluminum grille 全铝格栅	T-112格栅		☉			
Small convex angle 小阳角	T-113小阳角		☉			
Inner arc convex angle 内弧阳角	T-114内弧阳角		☉			
External arc corner 外弧阳角	T-115外弧阳角		☉			

Aluminum Same Color Closing Wire 3.0 System